



South Carolina Department of Health
and Environmental Control

PUBLIC NOTICE

Notice # 02852-02 & 02853-02

April 28, 2008

This notice is to inform the public that the S. C. Department of Health and Environmental Control (DHEC) is taking public comments on a Corrective Action Plan (CAP). This CAP addresses the cleanup of soil and groundwater contamination at the facility listed below. The contamination was caused by petroleum products that were released from the underground storage tank system at this facility.

FACILITIES: BP at South of the Border and Shell at South of the Border
Hwy 301 at I-95, Dillon, SC

APPLICANT: Terry Environmental Services, PO Box 25, Summerville, SC 29484 on behalf of
Gerald Moody, South of the Border, PO Box 1328, Dillon, SC 29536

SUMMARY OF CAP: Petroleum and petroleum byproducts naturally break down over time through chemical, physical, and biological processes. These processes are called natural attenuation. Terry Environmental Services has submitted a CAP proposing the use of the following technologies in addition to natural attenuation to clean up the contamination.

- **Chemical Oxidation:** Oxygen-rich chemicals (hydrogen peroxide) are injected underground to change the petroleum product(s) into harmless compounds (water and carbon dioxide).

PUBLIC COMMENT PERIOD DEADLINE: The **deadline** for submitting written comments is **5 PM May 15, 2008**. Any interested person(s) may submit written comments concerning the cleanup to DHEC's Project Manager listed below. Please bring this notice to the attention of persons whom you know will be interested in this matter. Where there is a significant degree of public interest, DHEC will hold a public hearing.

Susan Block
SCDHEC - UST Program
2600 Bull Street
Columbia SC 29201
803-896-6676

CONTACT INFORMATION: For additional information, please call the Project Manager listed above. To view a copy of the CAP, contact DHEC's Freedom of Information Office at 803-898-3882.

Section 280.67 of the S.C. Underground Storage Tank Control Regulations (R.61-92) requires that any CAP prepared to meet the requirements of 280.66 be placed on notice for public comment.